



# SAVARD Speakers MidBass Series Ferrite 8" S4\_S8 Driver



\*\*WE SHIP DAILY\*\*



Elevate Your Sound with the SAVARD Mid Bass Series.

Introducing the all-new SAVARD Mid Bass Series, a truly unique mid bass woofer designed to transform your sound system.

Unlike many pro speakers that claim midbass excellence, the SAVARD Mid Bass boasts a broken-in FS below 40Hz. This results in a strong, smooth, and warm bass/mid bass that fills your entire listening area. Many systems struggle with the crucial 50-300Hz midbass range. Adding the SAVARD MB series elevates your setup to a true 3-way system. Listen loud and proud, the MB series utilizes a large long throw voice coil for demanding listeners.

Close your eyes and you'll feel the live presence of the band – the SAVARD Mid Bass completes your sound.

\* Offering true versatility, the SAVARD Mid Bass can play over 2kHz, making it a great pairing even for basic 2-way systems.

Ready to experience the difference?

## MB 8" Ferrite S4 Specifications:

- **Nomial Diameter: 8"**
- **Power Handling:**
  - RMS: 75 watts
  - Recommend Power: See Chart Below
- **Impedance: Single 4 Ohm**
- **Frequency Response: 50 Hz - 6000 Hz**
- **Sensitivity: 86.42 dB - 1watt/1meter**
- **Sensitivity: 90.1 dB 2.83 Vrms**
- **Voice Coil Diameter: 2"**
- **Displacement: 0.01 cuft**
- **7.25mm XMAX In One Direction; 14.5mm Overall**
- **22 oz Y35 Magnet** (be cautious of competitors ratings: they may include additional motor parts to inflate weight. We count only the real magnet material)
- **Thiele and Small Parameters: \*POST BREAK IN\***
- **Resonant Frequency (Fs): 43.94 Hz**
- **DC Resistance (Re): 3.432 Ohm**
- **Voice Coil Inductance (Le) : 0.33 mH**
- **Mechanical Q (Qms): 3.463**
- **Electromagnetic Q (Qes): 0.861**
- **Total Q (Qts): 0.689**
- **Compliance Equivalent Volume (Vas): 1.02 cubic feet**
- **Mechanical Compliance of Suspension (Cms): 0.45mm/N**
- **BL Product (BL): 5.68 Tm**
- **Diaphragm Mass w/Airload (Mms): 29.32 grams**
- **SD: 33.02 sq in**

## MB 8" Ferrite S8 Specifications:

- **Nomial Diameter: 8"**
- **Power Handling:**
  - RMS: 75 watts
  - Recommend Power: See Chart Below
- **Impedance: Single 8 Ohm**
- **Frequency Response: 50 Hz - 6000 Hz**
- **Sensitivity: dB - 86.57 (1watt/1meter)**
- **Sensitivity: db 87.49 (2.83 Vrms)**
- **Voice Coil Diameter: 2"**
- **Displacement: 0.01 cuft**
- **7.25mm XMAX In One Direction; 14.5mm Overall**
- **22 oz Y35 Magnet** (be cautious of competitors ratings: they may include additional motor parts to inflate weight. We count only the real magnet material)
- **Thiele and Small Parameters: \*POST BREAK IN\***
- **Resonant Frequency (Fs): 42.63 Hz**
- **DC Resistance (Re): 6.472 Ohm**
- **Voice Coil Inductance (Le) : 0.51 mH**
- **Mechanical Q (Qms): 3.264**
- **Electromagnetic Q (Qes): 0.893**
- **Total Q (Qts): 0.701**
- **Compliance Equivalent Volume (Vas): 1.194 cubic feet**
- **Mechanical Compliance of Suspension 0.53 (Cms): mm/N**
- **BL Product (BL): 7.18 Tm**
- **Diaphragm Mass w/Airload (Mms): 26.53 grams**
- **SD: 33 sq in**

## SAVARD Professional Series General Features:

- Roll Surround to Increase Lower End Response
- Ferriday Shortening Ring
- Linear Style Spider
- Lightweight Durable Stamped Basket
- Radial Pole Vent
- High-grade Ferrite magnet assembly
- Standard Tab Terminals

## Mounting Information:

**Overall Diameter: 8.25"**  
**Baffle Cutout Diameter: 7.25"**  
**Mounting Depth: 3"**  
**Bolt Pattern Diameter: 6.375"**  
**# of Mounting Holes: 8**

## Top Reasons to Choose SAVARD:

- 100% FREE Domestic Tech Support
- Durable Products
- High Output Technology
- FREE Enclosure Design Support
- The Only Authorized Online SAVARD Products Dealer
- 2-year Savard Speaker Systems Warranty


Mid Bass 8" Recommended Amplifier Power Rating in RMS					
(Choose an amplifier that fits your budget/build, we recommend having extra clean power than not enough)					
10w	40w	60w	120w	200w	350w
		Optimum Performance & Safety		Operate with Caution, reduce amplifier gain as needed	Operate with Caution at reduced amplifier gain Void Warranty (Clean power, avoid clipping)

## SAVARD Real Time Snapshot

Taken in real time, the below curve is the most basic sound frequency curve to display the overall unaltered performance of a given speaker.

SAVARD's high efficiency / overbuilt line of Pro Series speakers are commonly used in Car Audio (SQ&SPL), Home Audio, and Commercial Audio where quality high output is needed. We provide the SAVARD Frequency Snapshot below for you to best determine the woofer that fits your needs and wants. Simply contact us to provide you mounting or enclosure alteration to control the frequency curver below. Just like a subwoofer, our Pro Series enclosures can be adjusted to add or reduce bass. As well as, we can add a basic crossover to reduce high end frequencies if you prefer a warmer sound.

\* Notice the design implements a flat curve for reference studio style listening. We eliminated the Harsh peak around 2000hz known for listening fatigue which is often found in competitor Pro Speaker products.



For customer testimonials, build sharing, and live community support, We invite you to join the "Official SAVARD Speakers Group" on Facebook. For updates on New Releases and back in stock items, like/follow the SAVARD Speakers Facebook Page.

## SUPPORT FROM SAVARD SPEAKER SYSTEMS

SAVARD offers person to person support with the purchase of this product. A true SAVARD representative will offer Product Support.

- Building your own custom box (Enclosure Design)
- Port design (Box Tuning)
- SAVARD will supply Blue Prints for standard enclosure designs!
- Speaker Placement
- Port Placement
- All general Questions

Model/Size	Number of Woofers	Sealed/Ported	Net Enclosure Volume (CuFT)	Port Specs	Comments
<b>COMING SOON</b>					

We are a SAVARD Certified Vendor All warranties and support are backed by SAVARD Speaker Systems LLC.

## BEWARE of Other Vendor Claims

Inflated Peak Power ratings are often exhibited to increase the appeal of the products. SAVARD uses conservative real time ratings. When selecting an amplifier SAVARD recommends reviewing reputable brands vs bargain brands. Please review RMS rating before purchase. Be cautious of inadequate service and support from some non-authorized vendors. SAVARD will offer direct support for items sold by this Ebay vendor.



## Shipping/Warranty/Return Policies & Procedures

- Shipping:**
- All US orders with a physical address will be shipped using FedEx Ground or FedEx Home Delivery
  - Please allow two day handling time

All SAVARD Speakers are covered under a Limited Warranty for a period of (2) Two Year from date of sale. Proof of sale must be returned with defective parts and freight must be prepaid. Applicability of warranty coverage will be determined by SAVARD SPEAKER SYSTEMS.

- All defective products will be covered under warranty except the following:
- Physical Damage
  - Water Damage
  - Abuse, Accident, Misuse or Faulty Installation (Repeated returns for the same damage may be considered abuse unless accompanied by a receipt from professional installer)

\*\*\*Warranty is automatically void when purchased from anyone other than franchised SAVARD DEALERS, and/or SHIPPED BACK WITHOUT proper packing (i.e. styrofoam balls, packing peanuts, or any method not stabilizing/securing said product) to ensure the stability of product in question in transit back to SAVARD\*\*\*

Warranty Repair or Replacement parts will be returned freight prepaid. Parts not covered under warranty will be repaired or replaced and returns C.O.D. for parts and freight costs.

## Return Procedure

\*\*\*ALL Products Purchased from SAVARD SPEAKER SYSTEMS will have an individual RA form Included within Package, if you require a Return Authorization Form Please Message Us.

Please message Us at Any Point before/during/after return procedures for help

Write the RA number outside of the shipping box to where it is visible upon arrival. Any box without a visible RA number may result in refusal by our receiving department. Put the completed RA FORM inside the box with your item. Any returned item without the completed form will result in delay in processing your request. Please send the item back to us in a standard shipping box with insurance. We are not responsible for any damage or missing items during shipment of the package.

## Disclaimer

There will no NO EXCEPTIONS. Ownership of packages is transferred over to Buyer once package is delivered to a FedEx Location. SAVARD is not responsible for mis-delivery errors via carrier or incorrect shipping information. Shipping is a service you purchase from FedEx along with your order from us, so any shipping issues must be handled between Buyer and FedEx.

Processing Time is 1 to 3 business days, for drop off to FedEx, regardless of shipping service for in stock items. We do not ship on Saturdays, Sundays or Holidays.

You are responsible to file a claim with FedEx. We are not responsible for lost packages during transit. We are not responsible for shipments to forwarding services or companies regardless of shipping service selected, if you place an order and your shipping address is a forwarding address you are responsible for contacting your forwarding company or service to locate your shipment.

We are also not responsible to weather related damage or delays. Once package leaves our hands it is completely out of our control.

In the case that your shipment is lost or damaged in transit; Please reach out and We will best assist with filing FedEx Claims. We will work with you to better ensure you have a pleasant experience purchasing from SAVARD.

Please make sure your address is correct before placing order, we will not be responsible for incorrect addresses. Packages are NOT insured. Once again we are not responsible for package once it transfers to FedEx, it is then their responsibility to deliver and handle concerns for shipping delays or lost packages. You will not be refunded for the purchase from us if FedEx loses it. KEEP AN EYE ON YOUR PACKAGE'S TRACKING PROGRESS.

Please make sure all addresses are correct, we will not refund for wrong address on your part.